Subscribe (Full Service) Register (Limited Service, Free) Login

Search: 🏿 🏵 The ACM Digital Library 💍 🖰 The Guide

TI. THE ACM DIGITAL LIDITARY THE GUIDE

#### THE ACM DIGITAL LIBRARY

Feedback

binding xml java

Terms used: binding xml java

Found

Ada b

Mul

Pro:

Lea

NI L

graf muli

app

UMI

in G

Data

Prog

Foc

Sha Roc

WWW

<u>Len</u> Libr

Hun

gen

RN/

eas'

poo www

Sort results by relevance

Display results expanded form

Save results to a Binder

Refine these results with <u>Advances</u> Try this search in <u>The ACM Guide</u>

Open results in a new window

Results 21 - 40 of 972

Result page: << previous 1 2 3 4 5 6 7 8 9 10 next >>

21 Ajax timelines and the semantic web

Ben Martin

January 2007 Linux Journal, Volume 2007 Issue 153 Publisher: Specialized Systems Consultants, Inc.

Full text available: htm:(99.37 KB)

Additional Information: full citation, abstract, index terms

Bibliometrics: Downloads (6 Weeks): 19, Downloads (12 Months): 142, Citation Count: 0

Should we create a timeline on how we implement Timeline?

22 Composable ad hoc location-based services for heterogeneous mobile clients

Todd D. Hodes, Randy H. Katz

October 1999 Wireless Networks, Volume 5 Issue 5

Publisher: Kluwer Academic Publishers

Full text available: pdf(493.18 KB) Additional Information: full citation, references, cited by, index terms

Bibliometrics: Downloads (6 Weeks): 18, Downloads (12 Months): 119, Citation Count: 7

<sup>23</sup> Implementation of framework for developing multi-agent based automated negotiation systems

Hyung Rim Choi, Hyun Soo Kim, Soon Goo Hong, Young Jae Park, Young Sung Park, Moo Hong Kang August 2005 | CEC '05: Proceedings of the 7th international conference on Electronic commerce

Publisher: ACM

Full text available: pdi(741.01 KB) Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 10, Downloads (12 Months): 103, Citation Count: 0

A multi-agent technology has emerged as new paradigms that can flexibly and promptly cope with various environmental changes and complex problems. Accordingly, many studies have been carried out to establish multi-agent systems in an effort to solve ...

Keywords: automated negotiation system, multi-agent

<sup>24</sup> Automatic building of frameworks for processing XML documents

Luiz Fernando Gomes Soares, Rogério Ferreira Rodrigues, Romualdo Monteiro de Resende Costa

November 2006 WebMedia '06: Proceedings of the 12th Brazilian symposium on Multimedia and the web

Publisher: ACM \_\_

Full text available: pdf(384.67 KB) Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 14, Downloads (12 Months): 72, Citation Count: 0

This paper presents a two-layer model for the development of XML-based language compilers. In the first layer, a framework (generic compiler) is automatically generated from the XML Schema of a

<u>Data</u> You Add

data sma web

> day: www

http://portal.acm.org/results.cfm?query=binding%20xml%20java&querydisp=binding%20xml%20java&s... 7/30/2008

selected language (the input language). Besides defining ...

Keywords: middleware declarativo, NCL, SBTVD, TV digital, XML, framework, maestro

## 25 Toward an engineering discipline for grammarware

Paul Klint, Ralf Lämmel, Chris Verhoef

July 2005 ACM Transactions on Software Engineering and Methodology (TOSEM), Volume 14 Issue

Publisher: ACM

Full text available: pdf(710.42 KB)

Additional Information: full citation, abstract, references, cited by, index terms

Bibliometrics: Downloads (6 Weeks): 30, Downloads (12 Months): 259, Citation Count: 9

Grammarware comprises grammars and all grammar-dependent software. The term *grammar* is meant here in the sense of all established grammar formalisms and grammar notations including context-free grammars, class dictionaries, and XML schemas as ...

Keywords: Grammarware, automated software engineering, best practices, generic language technology, grammar-dependent software, grammars, language processing, metamodeling, model-driven development, parsers, software evolution, software transformation

### 26 Finding Errors in Interoperating Components

Mark Grechanik

May 2007 IWICSS '07: Proceedings of the Second International Workshop on Incorporating COTS

Software into Software Systems: Tools and Techniques

Publisher: IEEE Computer Society

Full text available: pdf(822.82 KB)

Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 9, Downloads (12 Months): 68, Citation Count: 0

Two or more components (e.g., objects, modules, or programs) interoperate when they exchange data, such as XML data. Currently, there is no approach that can detect a situation at compile time when one component modifies XML data so that it becomes incompatible ...

# 27 A comprehensive approach for the development of modular software architecture description



languages

Eric M. Dashofy, André van der Hoek, Richard N. Taylor

April 2005 ACM Transactions on Software Engineering and Methodology (TOSEM), Volume 14 Issue

Publisher: ACM

Full text available: pdf(3.51 MB)

Additional Information: juil citation, abstract, references, cited by, index terms

Bibliometrics: Downloads (6 Weeks): 47, Downloads (12 Months): 345, Citation Count: 7

Research over the past decade has revealed that modeling software architecture at the level of components and connectors is useful in a growing variety of contexts. This has led to the development of a plethora of notations for representing software ...

Keywords: ArchStudio 3, Architecture description languages, XML, xADL 2.0

# 28 Taxonomy of XML schema languages using formal language theory



Makoto Murata, Dongwon Lee, Murali Mani, Kohsuke Kawaguchi

November 2005 ACM Transactions on Internet Technology (TOIT), Volume 5 Issue 4

Publisher: ACM

Full text available: pdi(1.34 MB)

Additional Information: juli citation, abstract, references, cited by, index terms

Bibliometrics: Downloads (6 Weeks): 51, Downloads (12 Months): 283, Citation Count: 14

On the basis of regular tree grammars, we present a formal framework for XML schema languages. This framework helps to describe, compare, and implement such schema languages in a rigorous

manner. Our main results are as follows: (1) a simple framework ...

Keywords: XML, interpretation, schema, tree automaton, validation

#### 29 Towards an enterprise XML architecture



Ravi Murthy, Zhen Hua Liu, Muralidhar Krishnaprasad, Sivasankaran Chandrasekar, Anh-Tuan Tran, Eric Sedlar, Daniela Florescu, Susan Kotsovolos, Nipun Agarwal, Vikas Arora, Viswanathan Krishnamurthy June 2005 SI GMOD '05: Proceedings of the 2005 ACM SI GMOD international conference on Management of data

Publisher: ACM

Full text available: pdf(260.60 KB) Additional Information: full citation, abstract, references, cited by

Bibliometrics: Downloads (6 Weeks): 17, Downloads (12 Months): 116, Citation Count: 5

XML is being increasingly used in diverse domains ranging from data and application integration to content management. Oracle provides an enterprise wide platform for managing all types of XML content. Within the Oracle database and the application server, ...

#### 30 Building adaptable and reusable XML applications with model transformations



Ivan Kurtev, Klaas van den Berg

May 2005 WWW '05: Proceedings of the 14th international conference on World Wide Web

Publisher: ACM

Full text available: pdf(194.71 KB)

Additional Information: full citation, abstract, references, cited by, index terms

Bibliometrics: Downloads (6 Weeks): 12, Downloads (12 Months): 99, Citation Count: 2

We present an approach in which the semantics of an XML language is defined by means of a transformation from an XML document model (an XML schema) to an application specific model. The application specific model implements the intended behavior of documents ...

Keywords: MDA, XML, XML processing, model transformations, transformation language

## 31 Finding errors in components that exchange xml data



Mark Grechanik

November 2007 ASE '07: Proceedings of the twenty-second IEEE/ACM international conference on Automated software engineering

Publisher: ACM

Full text available: pdf(570.33 KB) Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 9, Downloads (12 Months): 82, Citation Count: 0

Two or more components (e.g., objects, modules, or programs) interoperate when they exchange data, such as XML data. Using *Application Programming Interface (API)* calls exported by XML parsers remains a primary mode of accessing and manipulating ...

Keywords: XML schema, bisimulation, interoperability, program analysis, schema validator, symbolic execution

# 32 Reducing application code complexity with vocabulary-specific XML language bindings



Jules White, Boris Kolpackov, Balachandran Natarajan, Douglas C. Schmidt March 2005 ACM-SE 43: Proceedings of the 43rd annual Southeast regional conference - Volume 2, Volume 2

Publisher: ACM

Full text available: pdf(498.52 KB) Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 2, Downloads (12 Months): 71, Citation Count: 0

The eXtensible Markup Language (XML) has become a ubiquitous data exchange and storage format. A variety of tools are available for incorporating XML-based data into applications. The most common XML tools (such as parsers for SAX and DOM) provide low-level ...

Keywords: C++, DOM, SAX, W3C XML schema, XML, vocabulary-specific language binding

33 XDuce: A statically typed XML processing language

👞 Haruo Hosoya, Benjamin C. Pierce

May 2003 ACM Transactions on Internet Technology (TOIT), Volume 3 Issue 2

Publisher: ACM

Full text available: pdf(242.48 KB)

Additional Information: full citation, abstract, references, cited by, index terms,

Additional Information: full citation, abstract, references, cited by, index terms

review

Bibliometrics: Downloads (6 Weeks): 11, Downloads (12 Months): 136, Citation Count: 36

XDuce is a statically typed programming language for XML processing. Its basic data values are XML documents, and its types (so-called *regular expression types*) directly correspond to document schemas. XDuce also provides a flexible form of *regular* ...

Keywords: Type systems, XML, subtyping, tree automata

#### 34 Evaluation of datalog extended with an XPath predicate

🔉 Royi Ronen, Oded Shmueli

November 2007 WIDM '07: Proceedings of the 9th annual ACM international workshop on Web information and data management

Publisher: ACM

Full text available: pdf(252.53 KB) Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 104, Citation Count: 0

XPath<sup>L</sup> is a logical language for processing XML and relational data. The language is essentially Datalog augmented with a new type of predicate, XPath Expression Predicate, which is dedicated to XPath processing. It may be used ...

Keywords: XML, XML and relational processing, datalog

# 35 Using XForms to simplify Web programming

Richard Cardone, Danny Soroker, Alpana Tiwari

May 2005 WWW '05: Proceedings of the 14th international conference on World Wide Web

Publisher: ACM

Full text available: pdf(1.03 MB)

Bibliometrics: Downloads (6 Weeks): 23, Downloads (12 Months): 175, Citation Count: 2

The difficulty of developing and deploying commercial web applications increases as the number of technologies they use increases and as the interactions between these technologies become more complex. This paper describes a way to avoid this increasing ...

Keywords: J2EE, MVC, Web application, XForms, XMLBeans, eclipse, visual builder

# 36 Design of Large-Scale Polylingual Systems

Mark Grechanik, Don Batory, Dewayne E. Perry

May 2004 | ICSE '04: Proceedings of the 26th International Conference on Software Engineering

Publisher: IEEE Computer Society

Full text available: pdf(174.25 KB)

Additional Information: full citation, abstract, references, cited by, index terms

Bibliometrics: Downloads (6 Weeks): 1, Downloads (12 Months): 25, Citation Count: 2

Building systems from existing applications writtenin two or more languages is common practice. Such systems are polylingual. Polylingual systems are relatively easy to build when the number of APIs needed to achieve language interoperability is small. ...

## 37 Status report: layered streaming XML processing with modules

Tyng-Ruey Chuang, Max Schäfer

October 2007 ML '07: Proceedings of the 2007 workshop on Workshop on ML

Publisher: ACM

Full text available: pdf(237.50 KB) Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 2, Downloads (12 Months): 31, Citation Count: 0

We report on our experience in designing and implementing a layered streaming XML processing library in Objective Caml, which allows the user to parse documents at different abstraction levels and switch between these levels on the fly in a typesafe ...

Keywords: ML, XML, functional programming, modular software, modules, streaming XML processing

## An environment for maintaining computation dependency in XML documents

Dongxi Liu, Zhenjiang Hu, Masato Takeichi

November 2005 DocEng '05: Proceedings of the 2005 ACM symposium on Document engineering

Publisher: ACM

Full text available: pdf(236.83 KB) Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 2, Downloads (12 Months): 20, Citation Count: 0

In the domain of XML authoring, there have been many tools to help users to edit XML documents. These tools make it easier to produce complex documents by using such technologies as syntaxdirected or presentation-oriented editing, etc. However, when ...

Keywords: XML, computation dependency, functional programming, lazy evaluation, programmable structured document

### A Java-based framework to support computer-assisted creation of structured XML documents

Andrea Trentini

April 2002 ACM SIGAPP Applied Computing Review, Volume 10 Issue 1

Publisher: ACM

Full text available: pdf(1.00 MB) Additional Information: full citation, abstract, references, index terms

Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 22, Citation Count: 0

In the management of document-based information, the structure of the document itself is very important. In the XML world you can use a DTD (Document Type Definition) or XMLSchema to define that structure. But not everything can be described (and forced) ...

Keywords: DTD, XML, XMLSchema, document architecture, document object model

# Extensible programming for the 21st century

Gregory V. Wilson

December 2004 Queue, Volume 2 Issue 9

Publisher: ACM

Full text available: pdf(366.22 KB) html(36.03 KB) Additional Information: full citation, abstract, references, cited by, index

Bibliometrics: Downloads (6 Weeks): 25, Downloads (12 Months): 138, Citation Count: 2 Is an open, more flexible programming environment just around the corner?

Results 21 - 40 of 972 Result page: << previous 1 2 3 4 5 6 7 8 9 10

> The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2008 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

> Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player



